

The Main Procurement Plan in fiscal 2026

\*Plan details (specifications, quantity, due construction period, etc.) may be changed or plans may be discontinued.  
At the time of the opening, the procurement procedures including contract formation may have been completed.

〔Distribution materials and equipment〕

NO	Article designation	Specification	Q'ty	Unit
1	Pole transformer for power distribution	6 kV, single-phase, 10 Kv	15,762	Unit
2	Pole transformer for power distribution	6 kV, single-phase, 20 Kv	7,932	Unit
3	Pole transformer for power distribution	6 kV, single-phase, 30 Kv	4,069	Unit
4	Pole transformer for power distribution	6 kV, single-phase, 50 Kv	2,905	Unit
5	Pole transformer for power distribution	6 kV, single-phase, 75 Kv	1,500	Unit
6	Pole transformer for power distribution	6 kV, single-phase, 100 Kv	499	Unit
7	Pole transformer for power distribution	6 kV, single-phase, 133 Kv	127	Unit
8	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 10 kV	445	Unit
9	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 20 kV	420	Unit
10	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 30 kV	355	Unit
11	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 50 kV	206	Unit
12	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 75 kV	110	Unit
13	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 10 0kV	24	Unit
14	Pole transformer for power distribution	Salt-resistant , 6 kV, single-phase, 133 kV	8	Unit
15	Transformer for power supply	6 kV	450	Unit
16	Current and voltage transformers for high-voltage molded meter	6 kV, 3 kA, 20 A	3,990	Unit
17	Current and voltage transformers for high-voltage molded meter	6 kV, 3.75kA, 50 A	2,620	Unit
18	Current and voltage transformers for high-voltage molded meter	6 kV, 7.5 kA, 100 A	450	Unit
19	Current and voltage transformers for high-voltage molded meter	6 kV,8 kA, 200 A	370	Unit
20	Voltage/current transformer for oil extra-high voltage instrument	VCT 33 kV 100/200	2	Unit
21	Voltage/current transformer for extra-high voltage instrument	Special PD mold 22 kV, 100 A	26	Unit
22	Voltage/current transformer for extra-high voltage instrument	Special PD mold 22 kV, 200 A	27	Unit
23	Voltage/current transformer for extra-high voltage instrument	Special PD mold 22 kV, 400 A	29	Unit
24	Voltage/current transformer for extra-high voltage instrument	VCT 22 kV, 100 A compact	17	Unit
25	Voltage/current transformer for extra-high voltage instrument	VCT 22 kV, 200 A compact	25	Unit
26	Voltage/current transformer for extra-high voltage instrument	VCT 22 kV, 400 A compact	10	Unit
27	Molded low-voltage current transformer	CT 3-wire 400 - 200 A	3,230	Unit
28	Low-voltage current transformer for terminal block type instrument	CT 3-wire 300 A	1,900	Unit
29	Totally enclosed type air-break switch	CS 7.2 kV 200 A	4,450	Unit
30	Totally enclosed type air-break switch	CS 7.2 kV 400 A (new)	384	Unit
31	3-phase sensor incorporated high-voltage distribution line automatic section switch	Three-phase sensor SW, 400 A	4,673	Unit
32	Arrester for power distribution	6kV, salt-resistant	1,944	Unit
33	Arrester for power distribution	Valve-resisting type	3,700	Unit
34	3-phase power supply sensor supporting switch slave station	For pair	850	Unit
35	Slave station of optical unit	Slave station of optical unit(No built-in)	4,900	Unit
36	Optical unit slave station for voltage regulator	Photon station for SVR (No built-in)	56	Unit
37	Battery unit for slave station of optical unit	Battery unit	1,050	Unit
38	Optical terminal unit for slave station of optical unit	Optical terminal unit (master)	77	Piece
39	Optical terminal unit for slave station of optical unit	Optical terminal unit (slave)	4,900	Piece
40	Optical terminal unit for slave station of optical unit	Optical terminal unit (3-branch A)	135	Piece
41	Optical terminal unit for slave station of optical unit	Optical terminal unit (3-branch B)	62	Piece
42	Wire fuse with lead	2.6	80,000	Piece
43	Wire fuse with lead	3.2	74,000	Piece
44	Wire fuse with lead	4.0	167,000	Piece
45	Wire fuse with lead	22	68,000	Piece
46	Wire fuse with lead	38	22,000	Piece
47	Wire fuse with lead	60	8,000	Piece
48	Photoelectric switch	100 V, 1 A	27,000	Piece
49	Photoelectric switch	100 V, 6 A	1,000	Piece
50	Terminal box for instrument with transformer	Three-phase	4,150	Piece
51	Plastic box for meter		1,200	Box
52	Compressed copper tube terminal for meter	60sq	4,500	Piece
53	Compressed copper tube terminal for meter	100sq	4,500	Piece
54	Compressed copper tube terminal for meter	150sq	3,600	Piece
55	Weighing equipment panel	Weighing equipment panel No.1	10	Unit
56	Power distribution cable	IV 5.5mm2	434,203	m
57	Power distribution cable	JC 6kV 22mm2	132,900	m
58	Power distribution cable	JC 6kV 80mm2	190,410	m
59	Power distribution cable	MVV 7C*3.5mm2	18,300	m
60	Power distribution cable	MVV 7C*5.5mm2	1,800	m
61	Power distribution cable	PDC	1,393,120	m
62	Power distribution cable	SB-OCW 80 mm2	60,000	m
63	Power distribution cable	SB-OEW 100sq	3,000	m
64	Power distribution cable	SB-OEW 38sq	3,000	m
65	Power distribution cable	SHIV 100mm2	41,100	m
66	Power distribution cable	SHIV 200mm2	10,980	m
67	Power distribution cable	SHIV 22mm2	178,175	m
68	Power distribution cable	SHIV 60mm2	127,195	m
69	Power distribution cable	SN-OW 5.0mm2	21,200	m
70	Power distribution cable	SN-OC 5.0mm2	35,000	m
71	Power distribution cable	SN-OCA 5.0mm2	18,000	m
72	Plastic tie wire	BCV 2.0 mm	120,000	m
73	Aluminum power cable for power distribution	Low wind pressure aluminum power cable 32	2,677,000	m
74	Aluminum power cable for power distribution	Low wind pressure aluminum power cable 120	1,947,000	m
75	Aluminum power cable for power distribution	Anti-snow wear-resistant aluminum power cable 32	468,000	m
76	Aluminum power cable for power distribution	Wear-resistant aluminum power cable 120	294,000	m
77	Extra high pressure aluminum power distribution cable	Extra-high/low wind pressure aluminum power cable 120	28,000	m
78	Low-voltage aluminum power distribution cable	25	2,278,000	m
79	Low-voltage aluminum power distribution cable	58	1,045,000	m
80	Insulator with current-limiting arcing horn	Lead-through insulator with current-limiting arcing horn	21,600	Piece

81	Insulator with current-limiting arcing horn	Terminal insulator with current-limiting arcing horn	54,000	Piece
82	Insulator with current-limiting arcing horn	Cover for lead-through insulator with current-limiting arcing horn	21,600	Piece
83	Insulator with current-limiting arcing horn	Cover for terminal insulator with current-limiting arcing horn	54,000	Piece
84	Adhesive joint tape		3,200	Roll
85	6.6 kV, CVT cable	CVT E-E 3C*38	41,000	m
86	6.6 kV, CVT cable	CVT E-E 3C*150	76,500	m
87	6.6 kV, CVT cable	CVT E-E 3C*200	86,000	m
88	6.6 kV, CVT cable	CVT E-E 3C*250	47,000	m
89	6.6 kV, CVT cable	CVT E-E 3C*325	39,000	m
90	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 60 mm	50	Unit
91	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 100 mm	60	Unit
92	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 150 mm	55	Unit
93	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 200 mm	15	Unit
94	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 250 mm	20	Unit
95	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 325 mm	40	Unit
96	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, straight connection box, 400 mm	10	Unit
97	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, straight connection box for CVT, 38 mm	91	Unit
98	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, straight connection box for CVT, 150 mm	200	Unit
99	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, straight connection box for CVT, 200 mm	255	Unit
100	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, straight connection box for CVT, 250 mm	255	Unit
101	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, straight connection box for CVT, 325 mm	88	Unit
102	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, different-diameter connection box, 100 - 150 mm	4	Unit
103	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, different-diameter connection box, 150 - 200 mm	2	Unit
104	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, different-diameter connection box, 250 - 325 mm	4	Unit
105	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, different-diameter connection box, 250 - 400 mm	4	Unit
106	Straight/different-diameter connection box (22kV·6.6kV)	22 kV, different-diameter connection box, 325 - 400 mm	4	Unit
107	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, different-diameter connection box, 150 - 200 mm	95	Unit
108	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, different-diameter connection box, 150 - 250 mm	60	Unit
109	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, different-diameter connection box, 200 - 250 mm	130	Unit
110	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, different-diameter connection box, 200 - 325 mm	135	Unit
111	Straight/different-diameter connection box (22kV·6.6kV)	6 kV, different-diameter connection box, 250 - 325 mm	70	Unit
112	22kV, accessory for CVT cable	Indoor terminal box, 250 mm	15	Unit
113	22kV, accessory for CVT cable	Indoor terminal box, 325 mm	15	Unit
114	22kV, accessory for CVT cable	Indoor terminal box, 40 mm	15	Unit
115	6.6 kV, salt-resistant terminal connection box for CVT cable	Salt-resistant outdoor terminal, 150	90	Unit
116	6.6 kV, salt-resistant terminal connection box for CVT cable	Salt-resistant outdoor terminal, 200	40	Unit
117	6.6 kV, salt-resistant terminal connection box for CVT cable	Salt-resistant outdoor terminal, 38	10	Unit
118	6.6 kV, accessory for CVT cable	Terminal connection box for CVT, 38 mm	250	Unit
119	6.6 kV, accessory for CVT cable	Terminal connection box for CVT, 150 mm	374	Unit
120	6.6 kV, accessory for CVT cable	Terminal connection box for CVT, 200 mm	150	Unit
121	6.6 kV, accessory for CVT cable	Indoor terminal connection box, 38 mm	350	Unit
122	6.6 kV, accessory for CVT cable	Indoor terminal connection box, 200 mm	110	Unit
123	6.6 kV, accessory for CVT cable	Indoor terminal connection box, 250 mm	100	Unit
124	6.6 kV, accessory for CVT cable	Indoor terminal connection box, 325 mm	100	Unit
125	High-voltage CVT cable terminating joint box mounting fixture		997	Unit
126	Joint box fitting	Type 1	1,933	Piece
127	Joint box fitting	Type 2-n	127	Piece
128	Hollow reinforced concrete column	2-connected concrete telegraph pole, 12m typeA	1,537	Piece
129	Hollow reinforced concrete column	2-connected concrete telegraph pole, 14m typeB	7,270	Piece
130	Hollow reinforced concrete column	2-connected concrete telegraph pole, 16m typeC	6,043	Piece
131	Hollow reinforced concrete column	2-connected concrete telegraph pole, 16m typeF	1,542	Piece
132	Composite pole with its concrete	Composite pole with its concrete	524	Piece
133	Coupled pole steel pipe section	11A	72	Unit
134	Coupled pole steel pipe section	12A	147	Unit
135	Coupled pole steel pipe section	13A	46	Unit
136	Coupled pole steel pipe section	14A	204	Unit
137	Underground pipes	Riser protection steel pipe, KGPφ100	759	Piece
138	Underground pipes	Riser protection steel pipe, KGPφ80	124	Piece
139	Underground pipes	KGP bent pipe, φ125, 80R	66	Piece
140	Underground pipes	KGP bent pipe, φ80	143	Piece
141	Underground pipes	KGP bent pipe, φ100	177	Piece
142	Underground pipes	KGP cap, φ80	544	Piece
143	Underground pipes	KGP cap, φ100	426	Piece
144	Underground pipes	KGP cap, φ125	411	Piece
145	Underground pipes	CCVP straight pipe,φ75	1,441	Piece
146	Underground pipes	CCVP straight pipe,φ100	6,247	Piece
147	Underground pipes	CCVP straight pipe,φ125	3,275	Piece
148	Underground pipes	CCVP bent pipe,φ75 5R	554	Piece
149	Underground pipes	CCVP bent pipe,φ100 5R	2,117	Piece
150	Underground pipes	CCVP bent pipe,φ125 5R	1,094	Piece
151	Underground pipes	CCVP bent pipe,φ75 10R	178	Piece
152	Underground pipes	CCVP bent pipe,φ100 10R	286	Piece
153	Underground pipes	CCVP bent pipe,φ125 10R	500	Piece
154	Underground pipes	EFVP pipe,φ75 0.8R	462	Piece
155	Underground pipes	EFVP pipe,φ100 0.8R	906	Piece
156	Underground pipes	EFVP pipe,φ125 1.2R	980	Piece
157	Underground pipes	CCVP tube pillow φ75	744	Piece
158	Underground pipes	CCVP tube pillow φ100	14,676	Piece
159	Underground pipes	CCVP tube pillow φ125	8,734	Piece
160	Underground pipes	CCVP homogeneous pipe fittings φ75	312	Piece
161	Underground pipes	CCVP homogeneous pipe fittings φ100	645	Piece
162	Underground pipes	CCVP homogeneous pipe fittings φ125	364	Piece
163	Underground pipes	CCVP dissimilar pipe fittings for steel pipes φ75	346	Piece
164	Underground pipes	CCVP dissimilar pipe fittings for steel pipes φ100	309	Piece
165	Underground pipes	CCVP dissimilar pipe fittings for steel pipes φ125	259	Piece

166	Underground pipes	CCVP duct sleeve,φ75	111	Piece
167	Underground pipes	CCVP duct sleeve,φ100	362	Piece
168	Underground pipes	CCVP duct sleeve,φ125	205	Piece
169	Manhole metal cover	870-L	380	Unit
170	Stand fixture		931	Piece
171	Holding hardware	28type	2,835	Piece
172	Holding hardware	33type	1,485	Piece
173	Holding hardware	55type	2,542	Piece
174	Holding hardware	Support fixture	2,245	Piece
175	Cable supporting insulator	60R	7,667	Piece
176	Aluminum coated steel twisted wire	90sq	21,600	m
177	Primary bushing cover for transformer	Flame retardance-Resin	1,650	Piece
178	Termination box for customer optical terminal station	Tension member 1 set	4	Unit
179	Cable support fixture for indoor transformer room	PC support fixture	126	Piece
180	Cable support fixture for indoor transformer room	Cable support fixture	342	Piece
181	Cable support fixture for indoor transformer room	Support cross arm fixture	5	Piece
182	Cable support fixture for indoor transformer room	Square clamp	156	Piece
183	Cable support fixture for indoor transformer room	Horizontally arranged hardware	115	Piece
184	Slave station for automatic voltage regulator	For pair	165	Unit
185	Slave station for automatic voltage regulator	For coaxial	20	Unit
186	Insulation messenger	5.5 sq	10,667	m
187	22(33)kV Anchor clamp cover aluminum wire		704	Piece
188	22(33)kV lightweight cross arm	2300D	16	Piece
189	22(33)kV lightweight cross arm	1800D	469	Piece
190	22(33)kV lightweight cross arm	2100D	144	Piece
191	22/33kV, transformer for power supply for polymer bushing	Polymer bushing 22kV/110V	105	Unit
192	22/33kV, transformer for power supply for polymer bushing	Polymer bushing 33kV/110V	23	Unit
193	22/33kV, transformer for power supply for polymer bushing	Polymer bushing carrier signal injection type 22kV	15	Unit
194	22/33kV, transformer for power supply for polymer bushing	Polymer bushing carrier signal injection type 33kV	12	Unit
195	L-type terminator for 22/33 kV	22 kV, for indoor application,CVT60mm2	32	Unit
196	L-type terminator for 22/33 kV	22 kV, for indoor application,CVT100mm2	12	Unit
197	L-type terminator for 22/33 kV	22 kV, for indoor application,CVT150mm2	34	Unit
198	L-type terminator for 22/33 kV	22 kV, for outdoor equipment,CVT60mm2	1	Unit
199	L-type terminator for 22/33 kV	22 kV, for outdoor equipment,CVT100mm2	12	Unit
200	L-type terminator for 22/33 kV	33 kV, for indoor application,CVT60mm2	4	Unit
201	L-type terminator for 22/33 kV	33 kV, for indoor application,CVT100mm2	4	Unit
202	22/33 kV distribution grounding terminal		123	Piece
203	22 kV, convex Y-branch connection box for CVT cable	Main unit of connection box	10	Unit
204	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT60	52	Unit
205	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT100	33	Unit
206	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT150	45	Unit
207	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT200	55	Unit
208	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT250	24	Unit
209	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT325	11	Unit
210	22 kV, convex Y-branch connection box for CVT cable	Branching parts,CVT400	16	Unit
211	22 kV, convex Y-branch connection box for CVT cable	Connection fixing device	37	Unit
212	22 kV, convex Y-branch connection box for CVT cable	Insulation cap	54	Unit
213	Automatic gas switchgear directly connected to 22 kV or 33 kV cable	Gas switchgear directly connected , 22 kV cable	36	Unit
214	Automatic gas switchgear directly connected to 22 kV or 33 kV cable	Gas switchgear directly connected , 33 kV cable	17	Unit
215	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*60mm2	9,058	m
216	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*100mm2	10,878	m
217	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*150mm2	17,425	m
218	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*200mm2	14,034	m
219	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*250mm2	6,873	m
220	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*325mm2	5,668	m
221	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*400mm2	3,230	m
222	22kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	Pulling eye	188	Unit
223	Automatic gas switchgear directly connected to 22 kV		63	Unit
224	2-connected concrete telegraph poles	18D	136	Piece
225	2-connected concrete telegraph poles	20E	5	Piece
226	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*60mm2	528	m
227	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*100mm2	14,684	m
228	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*150mm2	6,329	m
229	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*200mm2	2,870	m
230	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	3C*250mm2	807	m
231	33kV triplex type cross-linked polyethylene insulated vinyl sheath power cable (CVT)	One end pulling eye	130	Unit
232	Automatic gas switchgear, 33 Kv		9	Unit
233	33 kV, watertight compression type outdoor cross-linked polyethylene insulated wire	SB-OCW 80mm2	5,116	m
234	22/33 kV,distribution arrester, polymer type	22 kV, arrester, polymer type	249	Unit
235	22/33 kV,distribution arrester, polymer type	33 kV, arrester, polymer type	177	Unit
236	22/33 kV, distribution arrester, simplified type	For polymer, 22 kV	23	Unit
237	22/33 kV, distribution arrester, simplified type	For polymer, 33 kV	54	Unit
238	22/33 kV, distribution arrester, simplified type	For porcelain, 22 kV	364	Unit
239	22/33 kV, distribution arrester, simplified type	For porcelain, 33 kV	305	Unit
240	L-type connector branch joint box for 6.6 kV	Main unit of Y-branch for L-type connector 150mm2	19	Unit
241	L-type connector branch joint box for 6.6 kV	Main unit of Y-branch for L-type connector 200mm2	14	Unit
242	L-type connector branch joint box for 6.6 kV	Main unit of Y-branch for L-type connector 250mm2	2	Unit
243	L-type connector branch joint box for 6.6 kV	Branch L-connector	54	Unit
244	L-type connector branch joint box for 6.6 kV	Branch L-connector, unused cap	5	Unit
245	L-type connector branch joint box for 6.6 kV	Main unit of X-branch for L-type connector 200mm2	1	Unit
246	600 V, CVD·CVT·CVQ power cable	CVD power cable 14mm2	4,072	m
247	600 V, CVD·CVT·CVQ power cable	CVD power cable 22mm2	98	m
248	600 V, CVD·CVT·CVQ power cable	CVD power cable 38mm2	105	m
249	600 V, CVD·CVT·CVQ power cable	CVT power cable 14mm2	7,720	m
250	600 V, CVD·CVT·CVQ power cable	CVT power cable 22mm2	3,324	m

251	600 V, CVD·CVT·CVQ power cable	CVT power cable 38mm2	3,074	m
252	600 V, CVD·CVT·CVQ power cable	CVT power cable 60mm2	1,062	m
253	600 V, CVD·CVT·CVQ power cable	CVT power cable 100mm2	195	m
254	600 V, CVD·CVT·CVQ power cable	CVQ power cable 14mm2	989	m
255	600 V, CVD·CVT·CVQ power cable	CVQ power cable 22mm2	1,178	m
256	600 V, CVD·CVT·CVQ power cable	CVQ power cable 38mm2	2,357	m
257	600 V, CVD·CVT·CVQ power cable	CVQ power cable 60mm2	3,419	m
258	600 V, CVD·CVT·CVQ power cable	CVQ power cable 100mm2*2+60mm2*2	1,403	m
259	600 V, CVD·CVT·CVQ power cable	CVQ power cable 250mm2*3+150mm2*1	55	m
260	600 V, CVD·CVT·CVQ power cable	CVT power cable 150mm2	130	m
261	600 V, CVD·CVT·CVQ power cable	CVT power cable 100mm2*2+60mm2*1	94	m
262	600 V, CVD·CVT·CVQ power cable	CVT power cable 150mm2*2+100mm2*1	440	m
263	600 V, CVD·CVT·CVQ power cable	CVT power cable 200mm2*2+100mm2*1	125	m
264	600 V, CVD·CVT·CVQ power cable	CVT power cable 250mm2*2+150mm2*1	245	m
265	600 V, CVD·CVT·CVQ power cable	CVT power cable 325mm2*2+200mm2*1	885	m
266	600 V, CVD·CVT·CVQ power cable	CVQ power cable 150mm2*2+100mm2*2	2,034	m
267	600 V, CVD·CVT·CVQ power cable	CVQ power cable 200mm2*2+100mm2*2	1,377	m
268	600 V, CVD·CVT·CVQ power cable	CVQ power cable 250mm2*2+150mm2*2	1,648	m
269	600 V, CVD·CVT·CVQ power cable	CVQ power cable 325mm2*2+200mm2*2	2,613	m
270	Resin-coated band	500 pcs/box	100	Box
271	AP type ground molding		460	Piece
272	Device storage box for new weighing system	Indoor type	3	Unit
273	Media converter for FTTO/A (single conductor)	Single unit (single conductor, middle distance), 1.31 μm	92	Unit
274	Media converter for FTTO/A (single conductor)	Single unit (single conductor, long distance), 1.31 μm	24	Unit
275	Media converter for FTTO/A (single conductor)	Fixture	53	Piece
276	Media converter for FTTO/A (single conductor)	Optical code with connector at its both ends	12	Piece
277	PHS-GW storage box		764	Unit
278	T-type branch connector cover		456	Piece
279	VS control power lead wire	5m	16	Piece
280	Aluminum coaxial cable 12C		17,000	m
281	Aluminum-Copper common type 22 (33) kV insulation repair cover	Drainage type	782	Piece
282	Aluminum-Copper common type 22 (33) kV insulation repair cover	Waterproof type	1,602	Piece
283	Accessory for aluminum coated steel twisted wire	Anchor grip for aluminum coated steel twisted wire, 90 mm	18,000	Piece
284	Kazura Climb Shutter	Concrete pillar(Rarge) 20 Sheet	184	Box
285	Kazura Climb Shutter	Concrete pillar(small) 20 Sheet	107	Box
286	Kazura Climb Shutter	Branch line 25 Piece	180	Bag
287	Kazura Climb Shutter	Rebar column (small) 10 Sheet	30	Box
288	Kazura Climb Shutter	Rebar column (Rarge) 10 Sheet	26	Box
289	Curl helicate		600	Piece
290	Cross arm type B dedicated to cost-reduced type incoming line		2,000	Piece
291	Ivy twine-up preventive guard		443	Piece
292	Trans keeper		188	Piece
293	Vinyl coating band cap and earth terminal branch cap	Earth terminal branch cap	4,600	Piece
294	Flat base, etc.	Simulation box	290	Unit
295	Flat base, etc.	Divided type flat base	424	Unit
296	Base for prefabricated unit	Block for main unit	7	Unit
297	Base for prefabricated unit	Block for equipment	24	Unit
298	Pair cable	Pair cable, 2P	40,000	m
299	Pair cable	Pair cable, 5P	6,000	m
300	Pair cable	Pair cable, 10P	3,000	m
301	Pair cable	Pair cable, 2P-SSF	22,500	m
302	Pair cable	Pair cable, 5P-SSF	1,500	m
303	Polyethylene insulated tube Type 1	Small	1,960	Piece
304	Polyethylene insulated tube Type 4	Small	2,060	Piece
305	Polyethylene insulated tube Type 4	Large	127	Piece
306	Line post insulator, etc.	Line post insulator for environment-harmonized pole	27	Piece
307	Line post insulator, etc.	Polymer lead-through insulator, 22 kV, for salt-resistant applications	1,124	Piece
308	Line post insulator, etc.	Polymer lead-through insulator, 33 kV	840	Piece
309	Line post insulator, etc.	Polymer lead-through insulator, 22 kV, for general and salt-resistant applications	714	Piece
310	Line post insulator, etc.	Polymer lead-through insulator, 22 kV, for general and salt-resistant applications	294	Piece
311	Line post insulator, etc.	(For aluminum)Polymer lead-through insulator, 22 Kv	447	Piece
312	Line post insulator, etc.	(For aluminum)Polymer lead-through insulator, 33 Kv	158	Piece
313	Lashing wire	No. 1	400	Piece
314	Lashing wire	No. 2	400	Piece
315	Lashing wire	No. 4	390	Piece
316	Lashing wire	No. 5	420	Piece
317	Lashing wire	No. 6	20,310	Piece
318	Lashing wire	No. 7	1,830	Piece
319	Branch terminal for service entrance wiring and auxiliary terminal, etc.	Branch terminal for service entrance wiring, 120 A	160	Piece
320	Branch terminal for service entrance wiring and auxiliary terminal, etc.	Branch terminal for service entrance wiring, 30 A	200	Piece
321	Branch terminal for service entrance wiring and auxiliary terminal, etc.	Ancillary terminal for service entrance wiring, 22 sq	200	Piece
322	Branch terminal for service entrance wiring and auxiliary terminal, etc.	Resin disuse stopper	4,100	Piece
323	Branch terminal for service entrance wiring	38sq	4,190	Piece
324	Service branch terminal	S38-1	6,500	Piece
325	Service branch terminal	S38-2	7,000	Piece
326	Service branch terminal	S60-1	11,500	Piece
327	Service branch terminal	S60-2	33,000	Piece
328	Service branch terminal	S60-3	9,000	Piece
329	Service branch terminal	S200-1	2,500	Piece
330	Service branch terminal	C38	8,500	Piece
331	Clamp cover	For 5 mm	267	Piece
332	Clamp cover	5 mm/80 mm2 shared type	350	Piece
333	Anchor clamp covers	Cover for polymer lead-through insulatorfor 22 kV, for general and salt-resistant applications	345	Piece
334	Anchor clamp covers	Cover for polymer lead-through insulatorfor 33 kV, for general and salt-resistant applications	192	Piece
335	Anchor clamp covers	Clamp cover, 22 kV, for special anti-strain applications	6	Piece

336	Anchor clamp covers	Clamp cover, 33 kV, for special anti-strain applications	40	Piece
337	Remote control type SVR	Slave control type	17	Unit
338	Remotely controlled high-voltage three-phase automatic voltage regulator(Y connection)	Slave control type	45	Unit
339	Remotely controlled high-voltage three-phase automatic voltage regulator(Y connection)	Self-control type	2	Unit
340	Overhead cable protective cover		688	Piece
341	Wear resistant type protective pipe for overhead cable		4,201	Piece
342	Environment-friendly transformer	6 kV, 75 + 50 Kva	1	Unit
343	Fitting for round ground molding and TP molding extension cover	Fitting for round ground molding , convex type	12,500	Piece
344	Fitting for round ground molding and TP molding extension cover	Fitting for round ground molding , concave type	1,000	Piece
345	Fitting for round ground molding and TP molding extension cover	TP molding extension cover	515	Piece
346	Stay rod for bedrock		21	Set
347	Low voltage current transformer attachment for terminal block type meter		43	Piece
348	Bracket for arm mounting for optical unit slave station		473	Piece
349	Power/control cable conversion adapter for optical unit slave station		2,019	Unit
350	Conversion adapter for extra-high voltage switch for optical unit slave station		25	Unit
351	Measurement control cable for optical unit slave station for voltage regulator		16	Piece
352	Monitor cable for optical unit slave station for voltage regulator		16	Piece
353	Mounting bracket for switch for optical unit slave station for ground installed 6 circuit switch		30	Unit
354	Optical unit slave station for ground installed 4·6 circuit switch		56	Unit
355	Optical terminal unit for optical unit slave station for ground installed 4, 6 circuit switch		308	Unit
356	Direct connection unit for equipment/6.6 kV L type connector	Direct connector for ground installed multiple circuit vacuum switchgear (Type I), 38 sq	245	Unit
357	Direct connection unit for equipment/6.6 kV L type connector	Direct connector for ground installed multiple circuit vacuum switchgear (Type I), 150 sq	318	Unit
358	Direct connection unit for equipment/6.6 kV L type connector	Direct connector for ground installed multiple circuit vacuum switchgear (Type I), 200 sq	161	Unit
359	Direct connection unit for equipment/6.6 kV L type connector	Direct connector for ground installed multiple circuit vacuum switchgear (Type I), 250 sq	14	Unit
360	Direct connection unit for equipment/6.6 kV L type connector	Insulation cap for ground installed multiple circuit vacuum	249	Unit
361	Direct connection unit for equipment/6.6 kV L type connector	Insulating lid for high-voltage brancher	37	Unit
362	Direct connection unit for equipment/6.6 kV L type connector	High-voltage brancher in column	14	Unit
363	Stop cap	Small	6,157	Piece
364	Stop cap	Large	12,000	Piece
365	Joint supplementary square pipe, etc.	Joint supplementary square pipe (B type)	400	Piece
366	Joint supplementary square pipe, etc.	Protruding fixture for joint square pipe	300	Piece
367	Joint supplementary square pipe, etc.	Service square pipe (1,800 mm)	150	Piece
368	Joint supplementary square pipe, etc.	Service separation supporting hook (400 mm)	4,500	Piece
369	Joint supplementary square pipe, etc.	Service separation supporting hook (600 mm)	1,000	Piece
370	Joint supplementary square pipe, etc.	Service separation supporting hook (750 mm)	1,000	Piece
371	Joint supplementary square pipe, etc.	Service separation supporting hook (1,000 mm)	200	Piece
372	Joint supplementary square pipe, etc.	Service separation supporting hook (1,200 mm)	1,000	Piece
373	Extension stay rod	16 mm minimum order unit: 10 pcs.	3	Set
374	Extension stay rod	19 mm minimum order unit: 10 pcs.	9	Set
375	Measurement cable	for 2 -phase, 3-phase slave station	3,111	Piece
376	Weighing equipment panel	Weighing equipment panel No.2	10	Unit
377	Light-weight prefabricated steel pole	A105	33	Piece
378	Light-weight prefabricated steel pole	A106	49	Piece
379	Light-weight prefabricated steel pole	A107	8	Piece
380	Light-weight prefabricated steel pole	B206	3	Piece
381	Light-weight prefabricated steel pole	B207	12	Piece
382	Light-weight prefabricated steel pole	B208	10	Piece
383	Light-weight prefabricated steel pole	B209	4	Piece
384	Sheet for building protection from electrical facilities	Small	3,180	Piece
385	Sheet for building protection from electrical facilities	Large	867	Piece
386	Sheet for building protection from electrical facilities	For low-voltage lead-in	373	Piece
387	Bellows for building protection from electrical facilities	Small	210	Piece
388	Bellows for building protection from electrical facilities	Large	257	Piece
389	Net for building protection from electrical facilities	Flame-resisting polyethylene net	133	m
390	Cover for pin-type insulator for building protection from electrical facilities		150	Piece
391	Broad-band bidirectional relay amplifier	Attenuator, AT7701S - AT7725S	108	Piece
392	Broad-band bidirectional relay amplifier	Downstream BON	15	Piece
393	Broad-band bidirectional relay amplifier	Downstream equalizer	10	Piece
394	Broad-band bidirectional relay amplifier	Upstream equalizer	30	Piece
395	Broad-band bidirectional relay amplifier	Accessory	39	Piece
396	Broad-band bidirectional relay amplifier	Automating dedicated amplifier	51	Unit
397	Hardware for line retaining between high-voltage power lines with a narrow distance		1,490	Piece
398	Current and voltage transformers for high-/low-voltage molded meter	Voltage transformer for molded high-voltage meter (power distribution), three-phase, 6600 V	45	Unit
399	Current and voltage transformers for high-/low-voltage molded meter	Voltage transformer for meter, single-phase, 2-wire, 220 V/110 V (VT)	3	Unit
400	Detector for high-/low-voltage	Detector, detector for high-/low-voltage (automatic)	162	Piece
401	Slim light-weight prefabricated steel pole	13m	37	Piece
402	Slim light-weight prefabricated steel pole	15m	72	Piece
403	Slim light-weight prefabricated steel pole	16m	35	Piece
404	7-core terminal		2,340	Piece
405	Small IP transmitter (for customer information)	Small IP transmitter (for customer information)	98	Unit
406	Small IP transmitter (for customer information)	2 -wire type WHM cable	81	Piece
407	Small IP transmitter (for customer information)	Pulse cable	11	Piece
408	Small IP transmitter (for customer information)	Fixture	64	Piece
409	Backup power supply for small IP transmitter (for customer information)		73	Unit
410	Manhole metal cover 870 - horizontal rod for L		340	Piece
411	Water swelling flood protection device for pipe port		1,218	Unit
412	Wear resistant type polyethylene insulated tube	Small	117,703	Piece
413	Red-top stake	300 Piece	16	Box
414	Ground installed transformer with switch	6KV with switch,75+50KVA	2	Unit
415	Ground installed transformer with switch	6KV with switch,100+50KVA	7	Unit
416	Ground installed multiple circuit vacuum	6.6 kV, 6 circuits 0 automatic	9	Unit
417	Ground installed multiple circuit vacuum	6.6 kV, 6 circuits 1 automatic for coaxial w/ CT	2	Unit
418	Ground installed multiple circuit vacuum	6.6 kV, 6 circuits 1 automatic for pair w/o CT	2	Unit
419	Ground installed multiple circuit vacuum	6.6 kV, 6 circuits 1 automatic for pair w/ CT	5	Unit
420	Ground installed multiple circuit vacuum	6.6 kV, 6 circuits 1 automatic optical delay multiplex circuit switch slave station incorporated	7	Unit

421	Ground installed multiple circuit vacuum	6.6 kV, 4 circuits 0 automatic	16	Unit
422	Ground installed multiple circuit vacuum	6.6 kV, 4 circuits 1 automatic	19	Unit
423	Underground lead-in fuse	14mm2	798	Piece
424	Underground lead-in fuse	22mm2	432	Piece
425	Underground lead-in fuse	38mm2	378	Piece
426	Underground lead-in fuse	60mm2	293	Piece
427	Colored 2-part detachable concrete pole	12A	51	Piece
428	Colored 2-part detachable concrete pole	14B	212	Piece
429	Colored 2-part detachable concrete pole	16C	160	Piece
430	Colored 2-part detachable concrete pole	16F	57	Piece
431	Colored 2-part detachable concrete pole	18D	4	Piece
432	Materials included with hollow ferroconcrete pole	Pole cap	2,900	Piece
433	Materials included with hollow ferroconcrete pole	Earth terminal	45	Piece
434	Materials included with hollow ferroconcrete pole	Earth terminal cap	12,000	Piece
435	Materials included with hollow ferroconcrete pole	Number tag screw	10,333	Piece
436	Materials included with hollow ferroconcrete pole	Composite pole with its concrete part colored	10	Piece
437	Wear-resistant polyethylene insulating tube for low-voltage lead-in wire	Large	1,260	Piece
438	Wear-resistant polyethylene insulating tube for low-voltage lead-in wire	Small	1,195	Piece
439	Wear-resistant polyethylene insulating tube for low-voltage lead-in wire	Medium	14,438	Piece
440	Bonding tape for low-voltage applications	Self-bonding tape, 100 rolls	205	Box
441	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A1	1	Unit
442	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A3	3	Unit
443	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A31	4	Unit
444	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A32	1	Unit
445	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A5	48	Unit
446	Reinforced concrete prefabricated manhole	Main unit of prefabricated manhole ,A51	4	Unit
447	Reinforced concrete prefabricated manhole	Top block, type 1	68	Unit
448	Reinforced concrete prefabricated manhole	Top block, type 2	11	Unit
449	Battery for power supply unit	320A	4,008	Unit
450	Battery for power supply unit	640A	1,326	Unit
451	Wire stripper	Intermediate stripper	293	Piece
452	Wire stripper	Terminal stripper	121	Piece
453	Wire stripper	Spare blade	134	Piece
454	Clamp cover for copper-aluminum common 22 kV, 33 kV lead-through insulator	Clamp cover for 22 kV lead-through insulator (porcelain)	3,148	Piece
455	Clamp cover for copper-aluminum common 22 kV, 33 kV lead-through insulator	Clamp cover for 22 kV lead-through insulator (polymer)	2,926	Piece
456	Clamp cover for copper-aluminum common 22 kV, 33 kV lead-through insulator	Clamp cover for 33 kV lead-through insulator (porcelain)	949	Piece
457	Clamp cover for copper-aluminum common 22 kV, 33 kV lead-through insulator	Clamp cover for 33 kV lead-through insulator (polymer)	1,350	Piece
458	Voltage/current transformer for extra-high voltage instrument	Voltage/current transformer for 33 kV extra-high voltage molded instrument, 75 A	5	Unit
459	Voltage/current transformer for extra-high voltage instrument	Voltage/current transformer for 33 kV extra-high voltage molded instrument, 150 A	5	Unit
460	Voltage/current transformer for extra-high voltage instrument	Voltage/current transformer for 33 kV extra-high voltage molded instrument, 300 A	4	Unit
461	Distribution automation power supply unit	320A	36	Unit
462	Distribution automation power supply unit	640A	2	Unit
463	Distribution automation small optical pair conversion unit		20	Unit
464	Fall preventive equipment for distribution	Full harness SV type large	186	Piece
465	Fall preventive equipment for distribution	Waist belt connection adapter	204	Unit
466	Fall preventive equipment for distribution	Shoulder pad	189	Unit
467	Fall preventive equipment for distribution	Lanyard temporary fastener	183	Piece
468	Fall preventive equipment for distribution	Lanyard rope type	154	Unit
469	Fall preventive equipment for distribution	Lanyard class 1 strap take-up type	71	Unit
470	Fall preventive equipment for distribution	Lanyard connection belt	9	Piece
471	Fall preventive equipment for distribution	Rope w/ bracket Right	369	Unit
472	Fall preventive equipment for distribution	Waist guard belt Right	161	Piece
473	Fall preventive equipment for distribution	Outside tightening belt Right	174	Piece
474	Fall preventive equipment for distribution	Rope w/ bracket Left	77	Unit
475	Fall preventive equipment for distribution	Waist guard belt Left	14	Piece
476	Fall preventive equipment for distribution	Outside tightening belt Left	19	Piece
477	Fall preventive equipment for distribution	Work positioning main hook φ20	75	Piece
478	Fall preventive equipment for distribution	Simple hook	55	Piece
479	Fall preventive equipment for distribution	Power distribution expander	47	Piece
480	Fall preventive equipment for distribution	Distribution pole safety belt, nylon rope only	430	Piece
481	Fall preventive equipment for distribution	Nylon rope 3 m knot margin	430	Piece
482	Arrester cover	Cover for 6 kV arrester for bird damage prevention	4,395	Piece
483	Arrester cover	22/33 kV distribution polymer arrester cover	450	Piece
484	Pole-mounted arresting element incorporated bypass use air-break switch	7.2kV, 400A, V-connection	89	Unit
485	Pole-mounted arresting element incorporated bypass use air-break switch	7.2kV, 400A, Y-connection	220	Unit
486	Primary bushing cap for transformer	Y-type	400	Piece
487	Vibration absorbing mat	For indoor transformer	3,200	Piece
488	Drip-proof, Junction box for pair cable	Drip-proof	2,120	Unit
489	Drip-proof, Junction box for pair cable	Drip-proof, U-element connector (URP)	32,700	Piece
490	Drip-proof, Junction box for pair cable	Drip-proof, U-element connector (UB2A)	200	Piece
491	Bare hard copper wire	Single type bare hard copper wire, 5.0 mm	19,500	m
492	Bare hard copper wire	Bare hard-drawn copper conductor, 60 mm2 (19/2.0)	400	m
493	Cross arm/steel pipe poles	Prefabricated steel pole 10M-9T	35	Piece
494	Cross arm/steel pipe poles	Prefabricated steel pole 12M-8T	34	Piece
495	Cross arm/steel pipe poles	Prefabricated steel pole 13M-6T	11	Piece
496	Cross arm/steel pipe poles	Flexibly assembled steel pipe pole, 6 to 8M - 10T	3	Piece
497	Cross arm/steel pipe poles	Cable bowsprit cross arm, 350 mm	456	Piece
498	Cross arm/steel pipe poles	Cable bowsprit cross arm, 1,000 mm	768	Piece
499	Cross arm/steel pipe poles	Cable bowsprit cross arm, 1,500 mm	572	Piece
500	Cross arm/steel pipe poles	Cable bowsprit cross arm, 2,500 mm	403	Piece
501	Cross arm/steel pipe poles	Band for cable bowsprit cross arm	30	Unit
502	Cross arm/steel pipe poles	L-type lightweight cross arm for the transformer of control power supply	9	Piece
503	Cross arm/steel pipe poles	Hardware for fixing 22 (33) kV arrester	364	Piece
504	Cross arm/steel pipe poles	Hardware for narrow line interval	62	Piece
505	Cross arm/steel pipe poles	Narrow line interval anchor fixture	25	Piece

506	Cross arm/steel pipe poles	Steel pipe for spliced pole	58	Piece
507	Cross arm/steel pipe poles	Lead-in composite small pole (concrete section)	141	Piece
508	Cross arm/steel pipe poles	Lead-in composite small pole (steel tube section)	141	Piece
509	Line masking cover	Single-phase two-wire, 30 A	7,750	Unit
510	Line masking cover	Single-phase three-wire/three-phase, 60A	85,750	Unit
511	Line masking cover	Single-phase three-wire/three-phase, 120A	26,250	Unit
512	Watt-hour meter unit	Single-phase two-wire, 200 V, 30 A, bilateral	6,596	Unit
513	Watt-hour meter unit	Single-phase two-wire, 100 V, 30 A, unilateral	37	Unit
514	Watt-hour meter unit	Single-phase two-wire, 200 V, 30 A, unilateral	1,156	Unit
515	Watt-hour meter unit	Single-phase two-wire, 120 V, 30 A, unilateral	733	Unit
516	Watt-hour meter unit (for instrument with CT)	Single-phase three-wire, 100 V, 5 A, bilateral	3,596	Unit
517	Watt-hour meter unit (for instrument with CT)	Single-phase three-wire, 200 V, 5 A, bilateral	1,593	Unit